Yi2
7398
F 42

No:3 —

54 The amenorhagic state of fever.

The Absence & suppression of menses is generally attended with most of ~~with~~ the symptoms of fever, for wh:ch reason Never prescribe in this dis~~order~~eaze without feeling the pulse, & let all your prescriptions be regulated by it. In cases of great action, the Remedies should be 1 Vs: 2 purges; especially Aloes. In cases of weak action, tonics especially Chalybeates, ex-ercise, Calomel. — In Emansio mensium, the state of the Vagina should be exam:d I have known two cases

V a Mr Pomme advises cold drinks, cold Bath, & cold Glysters for Obstructed menses. These remedies must be useful only in cases of great morbid Action. They justify our theory. They are the more proper if menstrn is a Secretion as Dr Saunders supposes.

from imperforated hymen. ~~this~~ the
disease from Obstd: menses is often
fatal; but is rendered so chiefly
by Physicians by neglecting to
examine the Pulse, & by the in=
=discriminate Use of what are
called Emmenagogue medicines.

Goh° N° 7. 259

35 Haemorrhd State of fever. is a
common disease - occurs in Gout.
- Often produces fatal Consequences,
from being considered as a local
Disease. Is as much a disease
of the Whole System as pleurisy,
or angina. Its Remedies shd.

+ It occurs in Kentucke in the Spring from ~~fruit~~ pollen of plants. In Louisiana from fine particles of Clamshells with which they pave their Streets. —

V says it alternates with Dysentery. It is common in Egypt where the plague is Epidemic. Volney says out 100 persons whom he met in the Streets of Cairo 20 were blind, 10 wanted an eye, & 20 others had yr eyes red, purulent or blemished — [Here med: in a low state. —

be regulated by the pulse. If tense
general & local
1 V.S. – 2, purges especially sulph: ar
3 cold water. ~~So pro~~ when the
action is weakened, tar ointment
old
Galls – smoke of Leather shoe –
Opium &c – should be attended
to in all gouty habits – the translation
of morbid action easy here to
other and more vital parts.

go to 264 no 7.
36, The Opthalmia in state of fever.
great mischief from treating it
as a local disease* – often occurs
with Epidemic general fevers,
+
as in G: – here read Hawkins's
voyage to Africa p: 176 which he

It often prevails in the Autumn
with bilious fever - was common
in 1793. 1794. the Pulse shd always
be felt in Opthalmia - the Remedies
the same as for common fever.
1 V.S: general & local. 2 purges. 3
Vomits. 4 Cold applications. 5
Blisters - to the neck - ears - temples,
perhaps best to the legs. — Afterwards
tonics. as 1 Cort per: . 2 Opium.
Dr Campbell's fact. 3 cold Bath —
4 Exercise - tonic applications to
the eyes - Lead water - White Vit.
Inf: of Cort per: - Galls & opium
in water. —— go to 32. of No 1

No 38 The Convulsive or Spasmodic State of fever.

Many fevers occur with convulsion particularly in Children. They always indicate great force of Stimulus, or great irritability of the whole nervous System. They acquire & generally yield to V.S. — ~~an~~ Cool air — purges & L: laud: — Cool Air very proper in the Small pox — instead of hot water.

Spasms are of two kinds tonic & clonic. The first are constant, the last alternate with relaxation. The Spasmodic States of fevers are of the clonic kind most generally. Some of them both as Tetanus.

The 3 Diseases which belong here are 1 Hooping Cough – 2nd Tetanus 3 Hydrophobia. —

The Hooping Cough —

is from ~~Cont~~ the Stimulus of Contagion. It affects the Trachia & lungs with a convulsion. It is often attended with fever; The pulse – suffusion of the eyes & face, & hæmorrhages all indicate 1 V.S. – 2 purges especially of Cal: & Rhub: 3 Vomits. 4 Cold Air. ~~5 [illegible]~~ 5 Blisters – pitch plasters. 6 fear. Riding on a Bear. —

Tonics. 1. Cuper: Zinc – Sac: Saturn: Tinct: asafœtid

2 Cold Bath – 3 Exercise.

Tetanus

It is produced by all the causes of fever, more especially cold & marsh miasmata. It ~~occurs~~ is a misplaced fever. It occurred in the year 1793 in many cases. I shall read you Dr Girdlestone's Acc^t of it in the East Indies.

2 It occurs from wounds. ~~3 From [illegible]~~ ~~It~~ read No: 9. p 392 – omitting – 2^d: from cold.

The Remedies sh^d be varied with its remote & exciting causes. —

~~If~~ It has its precursors – viz Stiffneck pain in the back – Startings &c – here a moderate stimulus cures before violent action occurs – If from a wound – sh^d be dilated & inflamed.

Action & morbid excitement thereby abstracted from the muscles & Jaw ~~to~~ to which it is united by its having no Antagonist muscles - or in other words by greater predisposing debility than any other muscle in the body. — [The matters to excite inflam^{n} sh^{d} be Turpent: Salt - Canth: or Sublim: I have used them all.] —

The Remedies ~~after this~~, are the same whatever be its remote or exciting cause - ~~they all act only as stimulant.~~ They are 1 VS. used by Dr Hopkins Dr Potter & many others. 2 Emetics. I have used them with success. They take down & direct morbid Action from the muscles. 3 Cold water - best applied a long while & not used as a Bath. —

by purges. After the morbid Action is either by Remedies or time, thus weakened, use - Tonics, or Stimulants. These should be 1 Bark — wine - Ol: Succin: and Opium. The last used as a Specific, when we were ignorant both of the nature of the disease & of the manner ~~of the~~ in which Opium acted. It is inferior to all the other tonics, but should not be laid aside. 2 Cold Bath 3 Salivation. Begin soon with it. — ~~[illegible]~~ ~~depletion if called late~~.

By the use of these remedies, I have in many instances prevented, & cured this one formidable disorder. Twice in the hospital publickly, & yet death has since been permitted to take place there under the use of v should be called Tetanic State of fevers.

10 V

Simple Opium, & Amputation.

Read Dr Girdlestone's Case. —

Hydrophobia. [Shd: be under mali'g State of fever or anginose]

In entering upon the consideration of this disease, I feel as David did when he approached Goliah — In full Confi=dence of the Unity and truth of the principles which I have taught, I have no doubt of overcoming it. my Remedies for this purpose shall be as simple as ~~David the ly little~~ ~~Spa Shepard's~~ the Stone and Sling of the Shepard's boy & they shall consist of nothing but ~~the~~ ~~Lancet~~ depleting & ~~a free~~ tonic remedies. —

For a history of the symptoms of the disease see Dr Boerhaave &c

√ The soldier & the Clergyman.

11 – The contagion of typhus fevers
see Holter.–

12 Hydrocephalus. Mr Woodhouse's boy

Mease's thesis.

Its remote & exciting causes are
1 ~~cold~~ the bite of a rapid animal as
dogs - cats - wolves - foxes & some say
poultry. ~~A so~~ Blood must be drawn
to produce the disease, as certainly
no Dr King's case.
as in producing the small pox. - This
is the most frequent - those from the causes which follow
are called spontaneous.
2 Cold night Air. Dr Arthaud &c.
3 a wound in a tendinous part.
4 Impure putrid Aliment.
5 worms. 6 Hysteria. 7 Beach Nuts
8 great thirst. - 9 Aſsociation. & 10 fear
They all act by inducing directly
or indirectly a morbid action in the
System. That from the saliva of a mad animal is
an action of the highest grade.
It ranks therefore ~~with~~ in point of

but ~~o~~
V In 3 cases quoted by Dr Mead—
there was no dread of water. There ~~is~~ are grades of aversion from water — 1 It cannot be drunken without exciting convulsions. 2 It cannot be touched with Do. — 3 The ~~sw~~ sound of it in pouring from one vessels to another excites convulsion & 4ly The sight of it has the same effect

originally
✗ ~~fever simply~~ a fever, ~~als~~ with misplaced symptoms I infer from its being ~~derived~~ the offspring of a fever in a rapid Animal. ~~— A mad Dog~~ Canine madness is nothing but a fever which like many other fe-vers generates a matter of an infectious nature. see Arthur Young's Ann:— There may be madness in a dog without generating ~~this~~ an infectious ~~matter~~ quality in the Saliva, just as there are Malign:

force with the plague & yellow fever.
I shall confine myself to it:
~~I infer this~~ It affects the ~~jaws~~ throat
specifically as marsh miasmata do the
Liver, & small pox the Skin. That it
But again - that it is a fever
is ~~a disease~~ ~~fever disease~~ of the first grade. I infer
~~accompanied with the~~
~~1 from the its being too violent to~~
~~the usual symptoms of violent, fever~~
~~induce inflammatory - have upon~~
~~dissections exhibit but small~~ marks
~~of it in the throat~~ fauces, ~~& brain &~~
~~mere~~ of gangrene. —2 from its
killing in 1.2 3.4 or 5 days like ~~those two~~
malignant fevers. 3 From the symptoms
being exactly the same as those which
occurs in malignt. fevers. These according
to Dr Fothergill are", quick - small tense - hard
irregular pulse - cool skin cold & clammy hands -
- Sweating - thirst - palpitation of the
blindness - [illegible] - Aerophobia.

fevers in the human Species wch tho' generally are not universally contagious. In these cases the disease is not propagated by biting, hence

+

√ The following symptoms are taken notice of by ~~other Authors~~ Dr Mead "~~Coma~~ " slow intermitting pulse – cold sweats – ~~great~~ increased sensibility ~~to~~ in all the senses, especially to cold air – and heat in the Urine" – all of wch: occur in the malig State of fever. The morbid sensibility to cool Air often continues for 2 or 3 days in the yellow fever. "Giddiness, sighing, tossing, red face, fury, hiccups" by Dr Plummer med: Es: Vol: 6. see Aurelianus p: 220 for symptoms of

---

+ many people escape it who are bitten by dogs that are evidently mad. That canine madness is nothing but a fever in~~from its cause~~-duced by the common Causes of fever I infer, from its symptoms, such as ~~sw~~ great heat – red eyes – ~~the Delirium~~ – & mania, and from its causes viz a penury of aliment – & contagion, ~~the~~ hence ~~from~~ its prevailing at the same time with malignant & contagious fevers. Dr Huxham tells us that ~~many mad Dogs~~ ~~a~~ when a

heart - wakefulness - delirium, keen eye - white
tongue - costiveness - ~~keen~~ contraction of the
Scrotum ~~Semen~~, & involuntary emission of
semen - inflam^{y} blood with yellow
serum!" - In a case of Hydrophobia
which came under my notice ~~this~~ last win-
-ter 1797 I found the pulse uncommonly
tense, such as often occurs in the
yellow fever. I have called it ye Iron pulse.
at the time I was struck with this
uncommon force in the pulse, I did
not know, or suspect that my patient
laboured under Hydrophobia. I bled him.
his pulse was sizy & cupped. He died
next day the 5th of his disorder in convulsions. - He had
been bitten 3 weeks before by a mad
Dog on his temple, but of this I was

pestilential fever ravaged Plymouth,
many mad Dogs were running about". Dr
Orders ~~tells~~ us that ~~when~~ During the
prevalence of the plague in Russia in
1770, Mad Dogs were very numerous.
"In the year 1789 (says ~~an [illegible]~~ a Dr
when the Angina maligna ravaged
several parts of Yorkshire, ~~I had an opp~~
a disease prevailed among the Dogs in
wch some of them ran about as if mad,
Others staggered as if they were apoplectic,
but in Others, the disease shewed itself in
its proper colors. These last had Bubo's
in the Axilla, & every Mark of pestilence,
& frequently died within 24 hours from
the first Attack, the malady was evidently
contagious, for if ever so many were
confined in the same place, hardly any
escaped. In this Complaint, the poor Animals
had red Eyes, & a remarkable fierce look,

not informed Until after his death.
In Med: Com: vol: 9: p: 342 we have
an acc^t of heat - thirst - & nausea the
~~both~~ attending this disease. The last
Symptom belongs to malign^t fevers. The
absence of fever is mentioned by some
authors, but ~~this~~ in these cases it is
only misplaced as in ~~the~~ malig^t fevers in
which similar mistakes have often
been made. Dr Baumgarten mentions
priapism as a Symptom of Hydroph.
- now, this belongs to malig^t state of fever:
3 From death coming on in the same
way as in malignant fevers - viz cold
sweats - weak pulse, & involuntary dis-
charge of Urine. 4 from the speedy putrefaction
which ~~immed^y~~ follow~~ing~~ death, as in malign^t
fevers where no depletion is used. 5 From

which is characteristic of the plague in the human Species, & it appears to me ~~[says our Author~~, ~~very~~ probable, that the same disease wch Anders & Huxham without examining it, have recorded as facts."

To these Observations I shall only add under this head, that not only the plague, & angina maligna, spread in common among Men & Brutes, but the Influenza, & bilious fever.

Inflam^{n} in the brain &c in a rapid Dog. Dr Cooper.

It is no more extraordinary that a fever imparted by the Contagi~~ous of~~ Saliva of a rabid Animal sh^{d}: produce aversion from water, than that the fever produced by ~~the~~ any other cause should produce an aversion to many kinds of Aliment, or to light - cool air, or ~~an~~ sounds of any kinds. These are contagions w^{ch}: produce this Symptom as well the Saliva of a mad Animal.

the typhus fever. see Trotter ~~H~~ &c

the appearances exhibited after death ~~b~~ in bodies wch have perished by this disorder. these are Inflam^n of the throat Oesophagus - Sto=mach liver - bowels & brain, & above all fluid blood in the Arteries - ~~the last appearance occurs in all the malign States of fever. Morgagni's~~ is in To these appearances Morgagni adds - ~~yel~~ blood in some instances black - & yellow serum in the blood vessels - Strong marks of effusion, & Congestions in the lungs - ~~Jau~~ Black Bile in the Stomach & gall Bladder - the Bladder & penis infl^d. - gangrene in the bowels & livid spots on the external surface of the skin.

now all these appearances occur in persons who have died of fevers of the highest grade of Malignity, or inflam^y action. - One exception - not Inflam^n. - from excess of morbid Action. - I conclude therefore that the

is likewise produced by drinking cold water, 2
& all the causes formerly mentioned of w:
is called the Spontaneous Hydrophobia.
In my lecture on this subject last year 1798
I said I ~~am~~ was so satisfied that the disease
in the ~~mad~~ Dog which deranges him ~~the un~~
~~-derstanding~~ & renders his saliva ~~the remote~~
morbid & infectious
~~cause of a fever~~, is a real fever, that I
look'd for a time when remedies should be
with success for
applied ~~for the prevention or~~ cure of it,
and thereby the death of a faithful &
useful animal cease to be necessary in
order to prevent its spreading among men.
1798
— But ~~that~~ time is come — I have lately
heard of two Dogs being cured of this
disorder by a Remedy to be mentioned
presently.

Hydrophobia is a malignant state of fever, from stimulus. Of course the ~~Remedies~~ cure shd be the same as for malig:t fevers. ~~from all other causes~~, ~~allowing~~ ~~making~~ ~~some alteratio~~ ~~Allowance~~ for this disorder

The ~~Cure~~ Remedies divides ~~itself~~ themselves into two ~~stages~~ kinds.

1 ~~The preventio~~ Such as are proper to prevent the disease. —

2 Such as are proper to cure it when formed. —

1 — The first remedy under the 1 head is abstracting, or destroying the Virus. This is done, by cutting, or burning out the wounded part. or 2 by long, and frequent affusions of water upon the wound in order to wash the poison from it. ~~that~~ the small pox has

√ the wound ſhould be kept open & running for several months. In this way ;a washerwoman escaped the disease, who had bitten by the same ~~cats~~ Cat which the gentleman whose case is described by Dr Fothergill. Dr Weston of Jamaica relates two cases of the disease being prevented by the same means. That the infection was communicated he infers from two ſheep that were bitten at the same time, & by the same mad dog, having taken & died of the disorder.

been prevented by Jno Hunter by cutting out the part in wch the puncture was made in the arm wth variolous matter. There can be no reason, why the same practice shd not succeed, if used in time in the Hydrophobia. Authors tell us it has sometimes failed, probably because it was used after the poison had contaminated the blood. —V

A 2 preventive - is low diet - such as is recommended to ~~pre~~ prevent, or mitigate the plague, and yellow fever. The system in this case, like the willow shrub ~~[illegible]~~ bends beneath the force of the stimulus of the poison, and thereby prevents its being broken at a future day. If it were possible to prescribe a diet which would transcend the force

V They have derived their credit from some of
the following Circumstances ~~occurring~~ accompa:
~~after~~ -nying the bite of an animal.

1 The Animal may have been angry,
but not diseased with ~~the~~ a ~~fe~~ malign:t
fever in ~~the~~ manner I have described.
2 He may have been ~~mad~~ diseased, but
not to such a degree as to have rendered
his Saliva infectious. 3 The Saliva when infectious, may
have been so washed of in passing thro
the patients Cloathing, as not have
entered the wound made in the skin.
& 4 there may have been no predisposi:
-tion in the patient to receive the
fever. This is often seen in persons
exposed to the Contagions of the plague,
yellow fever, small pox, & of the infection
of the Itch & venereal disease.

of this disease, it shd. be prevented ~~as in pre-venting the mild bilious or jail fever~~, but this being impossible, we must weaken the disease by weakning the system.

I shall say nothing here of the long Catalogue of medicines ~~th~~ which have been used to prevent this disease. No one of them I believe has done any more good, than the remedies for eradicating the Gout, or the Elixirs which have been used to promote old age.

The interval between the infliction of the wound & the Attack of the disease is various. From 15 days to 5. 6. 7, and even 11 months. ~~like small pox done~~ It most commonly comes on in 40 days. — The small pox, measles, plague and yellow fever are subject to a similar variety, but upon a smaller scale.

V ~~From faithful inquiries, I have satisfied~~
~~myself the~~ where the disease occurs many
years after the bite of a rabid animal, I
am disposed to ascribe it to other causes,
& chiefly to fear. —

From many inquiries I am satisfied,
that the disease cannot be communicated
by the saliva except it be infused into a
wound, or applied to a part covered with
a thin skin as the lips. much less can it
be communicated by ~~the blo~~ handling the
blood, or the ~~dead~~ body of a person who has
died with the disorder. In maryland hogs
~~by the negroes~~
have been ~~are~~ eaten with safety that had been killed
by the negroes
by the bite of a mad dog, and the milk of
vid Baumgarten. p. 14 vol 1
a Cow has been used without any inconve-
-nience following it, by a whole family,
on the day on which she was seized with
& which
this disease, ~~from the~~ killed her in a
few days. —

V 19

During the ~~interval betw~~ use of ye preventing remedies, the Utmost pains shd be taken to keep up our patients spirits, by inspiring him w:th Confidence, ~~in these~~ in the Use of those remedies.

II. Should we called (as we generally shall be) where these remedies have not been used, or shd: the disease appear in spite of their use, our ~~we~~ first remedy Under the 2nd head should be

1 VS: — All the facts which have ~~no~~ been mentioned relative to its ~~pr~~ cause, ~~and~~ symptoms, & the appearance of persons who have died of this disease & all the cures which have been made of malignant fevers from Other Causes, conspire to enforce the use of the lancet in this disease. To be effectual, it

should be used as in the malignant
states of the plague, yellow fever, small-
pox & gout. ~~not less than~~ from 100 to 200 ounces
of blood will probably be necessary to
effect a cure. The pulse, ~~& other~~ should
govern the use of the lancet here as in
other cases of fever. ~~It~~ This practice
Gent: ~~tho~~ is founded upon ~~the~~ our reaso:
:nings upon the nature of this disease.
But it does not rest wholly upon them.
There are ~~two~~ several cases upon record in its favor.
1 In a London magazine published about
x the year 1752 there is an Acct: of a young
woman who discovered symptoms of
Hydrophobia from the bite of a mad dog. Her friends ~~in~~ proposed to
send her to a mad house. To prevent
this, she ran hastily down a pair of
stairs, at the foot of which she fell,

The 2nd case in favor of V.S: is mentioned in the 48th vol: of the transactions of the Royal Society of London. A man in whom the disease appeared ~~in~~ with all its usual symptoms was ~~pr~~ cured by the loss of 180 Ounces of blood by repeated bleedings.

These two recoveries ~~from~~ by copious bloodletting are sufficient to establish its use & ~~fo~~ But there are others. Dr Masillier's & Mr Volneys. [It is remarkable that they are the only two cases ~~&~~ upon record of genuine strongly marked Hydrophobia from ~~in~~ the bite of a rapid animal, ~~being cured by~~ having yielded to the power of medicine.] The disease yield by V.S. & mitigated before

and cut the temporal Artery. Her friends
dragged her into a room, where they
waited with impatience for her death
After losing several Quarts of blood she
fainted — the ~~blood Vessel sto~~ Artery now ceased to
pour forth any more blood. After a
while she survived & without ~~a single~~ any of the
Symptoms of her Hydrophobia, nor did
they ever return afterwards. ~~This~~
To encourage us, to make tryal of this ~~solitary case is eno to determine us~~
remedy, let us recollect that in ~~in favor of copious do.~~ — ~~for~~ a hundred
~~of~~ instances ~~of~~ in the business of life, we
act in Affairs of equal importance w:th
~~no more~~ but one ~~than a single~~ or two precedents
to direct our Conduct. ~~The 2nd Reme-~~
~~-dy for reducing great morbid Action~~
~~is vomits. a 3~~ All the Other
remedies for reducing the morbid Action

death by the loss of ℥xx of Blood by accident, in Dr Plummer's pat: med: Ess: vol: 6 a spontaneous case cured by the Loss of ℥116 of blood in med: Ess: Vol: 1 by Dr Innis. Dr ~~Wall~~ Vincent a Cure from two V.S. & copious sweating. Brook's practice. Vol. 11. p: 149. +

[V. Baumgasten says it has never been cured but by evacuations of some kind. He says sweating has sometimes cured it] purging Dr D Cort med com: vol: 2 p 476 —
sweating critical. wrightson
also Wall — p: 199.

+ The same remedy has succeeded in two Dogs. Dr Cooper's by cutting his tail. — & Dr Jardine's by cutting his ears, whereby a plentiful discharge of blood was induced. —

of the System in Other diseases may be used with V.S:, except cold water. This by exciting painful emotions may increase the disease. A Salivation should be attempted, and after V.S: it ~~will~~ may more easily be excited than where it has not be used. – It will act by depleting, as well as promoting, a new and less dangerous action in the Vessels of the throat. +

It is probable, many new Symp-
~~After the System is~~
-toms may be induced + in the System by this new mode of treating this disorder, but after wt you have heard of the changes wch: different remedies produce in the treatment of Other diseases, you will not I hope be detered in the use of those I have recommended in

√ I formerly pointed out the analogy between Tetanus & Hydrophobia. I confined this analogy to their cause viz Debility, & their cure as far they both required tonic Remedies, I have now extended it to previous depletion in both diseases, before the exhib.^n of tonic remedies. —

the Hydrophobia.

After the ~~system~~ morbid Action of the System is sufficiently reduced, tonic med: should be given. These sh.d be Bark wine, Opium +Brighton extols it. - nourishing & cordial diet, and perhaps the Cold Bath. √

The new method of Cure &c. has many things to recommend it. 1 It accords with the Unity of disease, and ~~the simplicity~~ of the of ~~th~~ remedies ~~treating it~~ which we have established & adopted in all other cases with so much success. I should as soon expect to find ~~f~~ the inhabitants of a new Island ~~&c~~ in whom I discovered the Shape & gestures of men to be devoid of reason, as expect to find any new ~~one~~ disease destitute of all the

V I have often complained of the
imperfections of the present nomenclature
mortality of the
of Medicine. The disease now under
encreased ~~by~~
consideration has ~~been done harm~~
by its name. The terms Hydrophobia
& canine madness convey ideas of
~~the~~ Symptoms of the disease only,
and of Symptoms too that are by
no means uniform. ~~I submit~~
~~For the~~ If the theory I have delivered
& the practice I have recommended
be just, it ought to be called, the
Hydrophobic State of fever. This Name
~~will~~ at once associates it with all
the Other States of fever, and leads us
to treat it with the remedies that
are proper in fever varying them con-
-stantly with the varying state of the System.

24

properties of those diseases with which we are acquainted, for disease is as much a Unit as the body or mind of man. —

2 In favor of an attempt to cure Hydrophobia by the remedies that have been mentioned, we shall have this consolation, that we shall do no harm by using them if they ſhould fail of ſucceſs. for death is the inevitable of the disease when left in the hands of Nature. V

~~I have often complained of the want of a new nomenclature in medi~~

With respect to Hydrophobia from other causes than the bite of a rabid Animal Animal, is the same — only partial & general — see p: 27. it must be treated according to the nature of the disease of which it is a Symptom. If it

arise from sleeping on the cold & damp ground, let it be treated like ~~the~~ all the Other morbid Affections from the same cause. If from a wound in a tendenous part by the same remedies that were recommended for Tetanus. —If from worms — by medicines which destroy them — if from hysteria, by the remedies for that disorder, taking care in each Case, to be governed by the states of the pulse. ——

The Hydrophobia from ~~Association~~ fear may be cured by exciting an idea that shall overpower the ~~[illegible]~~ morbid Action which fear has invited to the throat. A Clergyman in New Jersey lately visited one of his parishioners ~~in~~ who was hastening to the Grave with the

Hydrophobia. While he sat with him
he inadvertantly took up a pipe of tobacco which
the distracted man has just laid down,
& put it into his mouth, & smoaked
with it for a few minutes. When he
came home he recollected what he had
done. The thoughts of it filled him wth:
horror. ~~He~~ was instantly affected with a
difficulty of swallowing & dread of water.
— ~~His~~ The Elders of his church were sent
for to console him. A Physician
~~n of~~ was sent for at the same time
who ~~upon hear~~ took a part in the
conversation of ~~the~~ his patient with
his friends. ~~but it was~~ His opinions
however were so ~~contrary~~ hetrodox, & so offensive
to ~~those of~~ the Clergyman that he

V The Hydrophobia in all the last cases
+ y have been mentioned, seems to
~~be~~ differ from the Hydrophobic state
of fever, ~~fro~~ brot on by the bite of a rapid animal, in being a mere local disease,
or being accomp.d with but a small
affection of the whole System. — Thus
we see ~~an inflamm.~~ ~~obstr~~ a Suppression ~~of the kid~~ of the
Urine from a malignant fever, and the same
disease without fever from a Calculus
irritating the kidneys. Many other in-
stances of affections being ~~local~~ symptoms
of a general disease, or simply local
diseases might be mentioned. —

was thrown into a passion in hearing & repeating them, by which means his Hydrophobia was instantly cured. √ —

~~I have often lamented complained of the want of a new nomenclature in medicine. I have attempted it on fevers in by dividing fever fevers into states according to its grades, and seats. To that Attempt, permit me The term Hydrophobia conveys no other idea, than one of the Symptoms~~

In a review of what has been said of the Hydrophobic state of fever, we perceive the extension of the principle we adopted respecting the Unity of the proximate ~~cau~~ & remote causes of fever, also of ~~the~~ its method of Cure. ~~Then~~ You will perceive further that

√
the lancet. ~~which~~ It is what Dr Mead
happily calls Opium "Magnum Dei
donum" a great gift of God to man.
~~It has~~ To its former triumphs over
~~disease &~~ death, we can now add,
it has disarmed the Hydrophobia of
its mortality — a disease which ~~for~~
~~the~~ has for ages ~~stood~~ has spread ~~name~~ unequalled terror
~~among~~ & distress among mankind

there is the same difference between the knowledge of a Physician who prescribes for distinct genera & Species of diseases, and of One who prescribes for the State of the System without regarding the names of diseases, that there is between ~~is~~ the knowledge we obtain of the ~~extent~~ ~~is between viewing but a few feet~~ nature & extent of the Sky by viewing a ~~of the sky from~~ few feet of it from the bottom of a well, and ~~a~~ viewing from ~~the top~~ of a mountain, at a single glance, the whole canopy of heaven.

I cannot dismiss the subject of Hydrophobia without ~~expressing my~~ calling upon you to do homage to the Lancet. "Venerate the plough" said the ~~poet Thomson~~ elegant author V of the Season. Venerate likewise